








246-000017

Screw ϕ4*50  X24 A	Lock bar  X1 F	Screw ϕ3.5*14  X34 K
Wood Minifix  X26 B	Drawer rail  X2 G	Handle  X2 L
Minifix Screw  X44 C	Screw ϕ4*30  X8 H	Handle screw M4*18  X4 M
Minifix  X44 D	Lock  C1 I	
Wire box  X2 E	Lock metal fix  X2 J	






KM-118

(2000X1000X760)

ϕ4*50




X12 A




X8 B


STEP:1

To fix the panel 1 on panel 2 and 3




To fix the panel 4 on panel 2 and 3






X2 B




X8 C





X8 D

STEP:2 To fix the minifix screw C on both legs panel




To fix the front panel 5 and middle support panel 55






X4 C




X4 D




X2 E

STEP:3

To fix the minifix screw C on top panel 6,
then to fix the top panel on legs panel







ϕ4*50




X12 A



X11 B




X6 C




X6 D

STEP:4


To fix the panel 7 on panel 8 and 9




To fix the panel 10 on panel 8 and 9




To fix the panel 11,12 and 13




To fix the panel 14






X5 B




X18 C




X18 D


ϕ3.5*14



X20 K




X1 F




X2 G

STEP:5


To fix the bottom support panel 15 and one side leg panel



To fix the another side leg panel




To fix the side table top panel 16 finally




To fix the lock bar F

To fix the both side rail G



X4 C



X2 J




X4 D


ϕ3.5*14



X10 K



X2 G




X2 L

ϕ4*30



X8 H

M4*18




X4 M




C1 I


STEP:6




To fix the panel 17,18,19




To fix the fix 22,23,24




To put the panel 20 inside and fix the panel 21




To put the panel 20 inside and fix the panel 25



To fix the both side rail G and lock I ,lock metal fix J and handle L



FINISH



To use screw K to fix bottom panel 20 four side more tough